MAR 15 2004
PATENT & TRADEMARK OFFICE

METHOD AND APPARATUS FOR SELECTIVE
DATA CONTROL
INVENTOR: EAMON PATRICK GLEESON, et al.
DOCKET: 141841
ATTY: WILLIAM J. ZYCHLEWICZ; PHONE: (314) 621-5070



FIG. 1


42
40
38
35
32
OSM
CDM
34
36
OPERATOR INTERFACE
30
26
30
26
24
30
26
FUEL SUPPLY
30
26
20
22
28
AIR
EXHAUST

FIG. 2


300
304
34
302
308
PROPRIETARY
NETWORK
310
312
314
306
316

FIG. 3


400
402
304
302
308
PROPRIETARY
NETWORK
404
314
306
316

FIG. 4


500
502
RECEIVING A STREAM OF DATA AT THE SUPERVISORY PROCESSOR
504
CONTROLLING TRANSMISSION OF THE STREAM OF DATA FROM THE SUPERVISORY PROCESSOR TO THE SUBSCRIBER PROCESSOR BASED ON AN ASSOCIATED SUPERVISORY PROCESSOR CONFIGURATION
506
RECEIVING AN ENABLING CONFIGURATION AT THE SUPERVISORY PROCESSOR WHICH ALTERS THE SUPERVISORY PROCESSOR CONFIGURATION
508
TRANSMITTING AT LEAST A PORTION OF THE CONTROLLED STREAM OF DATA FROM THE SUPERVISORY PROCESSOR TO THE SUBSCRIBER PROCESSOR BASED ON THE STATUS OF THE SUPERVISORY PROCESSOR CONFIGURATION

FIG. 5